



HARYANA STATE POLLUTION CONTROL BOARD

Regional Office Nuh, Shed No. 1, Roz Ka Meo
Industrial Area, Tehsil – Nuh, District – Nuh
(Mewat), Haryana - 122103.

Email:- hspcb Bronuh@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 12074149626GSMWCTO144770690

Dated:13/06/2026

To.

M/s :ZAT SYSTEMS

Kewat No 434/4/475 Mustil No 9 Kila No 21/2/4(0-8)22/1/2(0-10) village Aata Sub
Tehsil Indri distt Nuh,Nuh,

Subject: Grant of consent to operate to M/s ZAT SYSTEMS.

Please refer to your application no. 144770690 received on dated 2026-05-20 in regional office Nuh. With reference to your above application for consent to operate, M/s ZAT SYSTEMS is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	13/06/2026 - 31/12/2028
Industry Type	E-WASTE DISMANTLING/RECYCLING- Industry engaged in dismantling (only) of e- waste, generated from the electrical and electronic equipment(EEE)listed in the E-Waste (Management) Rules2022
Category	GREEN
Investment(In Lakh)	48.0
Total Land Area(Sq. meter)	457.0
Total Builtup Area(Sq. meter)	300.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.3 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Septic tank
2. Trade	
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. Stack attached to dust collector	10 Meter
Emission parameters	

1. SPM	80 mg/m ³
Product Details	
1. DISMENT ALE ELECTRO NICS ITEMS	0.4 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Electricity	Kilowatt/day
Raw Material Details	
E Waste Items	0.4 Metric Tonnes/Day

Regional Officer, Nuh
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.
17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.
18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.
19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions :

1. Unit will maintain the daily log-book of APCM and source of water supply. 2. Unit will submit the Analysis Report under Air Act and Noise rules within 3 months from board lab. 4. unit will not change the product/process without Board permission 5. Unit will follow the all ACTS/Rules/Regulation issued by the HSPCB/CPCB/NGT time to time in future. 6. Unit shall strictly comply with the directions, conditions, guidelines, orders and rules etc. issued by Monitoring committee / EPCA, CAQM, HSPCB, CPCB, MoEF, Hon'ble High Court & Hon'ble Supreme Court of India time to time, otherwise CTO so granted shall be revoked without giving any further notice 7. That this CTE/CTO will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question 8. Stack emission level should be stringent than the existing standards in terms of the identified critical

pollutants. 10. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc, if applicable. 11. Unit will apply for Authorization under HOWM rules within 07 Days after issuing the CTO. 12. CTO granted is without prejudice to the action to be taken in respect of any violation made by unit in past & CTO will be deemed revoked & further action will be taken as per law including imposition of Environmental Compensation, if any violation observed at any stage. 13. Unit will not change the quantity of trade effluent, domestic effluent and air emission without prior permission of the Board. 14. Unit will obtain all necessary clearance from all concerned departments/Authorities . 15. The unit will maintain adequate acoustic enclosures/chambers on their GEN SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules, and use only approved fuel in GENsets. 16. Unit will apply for CTO renewal at least 90 days before expiry date of this CTO. 17. That in case any additional charges / fees / penalty / EC etc. are found payable towards this authorization / CTO/ CTE as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office. 18. If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTO so granted shall be revoked automatically & legal action will be initiate against the project proponent. 19. Unit will use underground water after obtaining approval from concerned authority during construction phase of the project and for sprinkling as far as possible. Unit should not use underground water for industrial or domestic purpose without prior permission obtained from HWRA. 20. That this CTO will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question. 21. Unit will not discharge any type of effluent outside of the premises of the project and reuse/recycle of treated waste water. 22. Unit should not use Ear buds with plastic sticks, plastic sticks for balloons, Plastic flags, candy sticks, ice-cream sticks , polystyrene (Thermocol) for decoration, plastic plates, cups, glasses cutlery, such as forks, spoons, knives, straw, trays, wrapping or packing films around sweet boxes, invitation cards, and cigarette packets, plastic or PVC banners less than 100 micron, stirrers. 23. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 24. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible, if applicable. 25. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc, if applicable. 27. Unit will comply all the Act/Rules/Notification/Directions i.e. HOWM Rules, E-waste Rules , PMW Rules, BMW Rules, Battery Rules and MSW Rules etc. 28. Unit will comply all the condition mentioned in CLU/NOC issued by DTCP. 29. Unit will dispose off their waste/spent oil of GENsets only to authorized recyclers by the HSPCB. 30. Unit should use only cleaner fuels namely natural gas (PNG/CNG), liquefied petroleum gas, bio gas , propane, butane etc. in the furnace. 31. The unit will obtain all necessary clearances from the concerned authorities and will adhere to all the applicable Environmental Laws/Acts/Notification regularly. In case of any violation found at any stage, this CTO under Water & Air ACT will be revoked. 32. Unit will strictly comply the HOWM Rules and obtained authorization/registration as applicable. 33. Unit will dispose off their waste/spent oil of GENsets only to authorized recyclers by the HSPCB and oily cloths, gloves and other waste will be handed over to CTSDFs i.e. GEPIL. 34. Unit will comply the SOPs guidelines issued by CPCB time to time in future. 35. The unit will provide proper sampling arrangements on their stacks and sample will be collected within 90 days from date of grant of this CCTO as per policy of Board . 38. Unit will ensure the compliance of orders of Honble NGT in the matter

of OA No. 26 of 2019 Abhay Dahiya & Ors. Vs State of Haryana 39. unit shall ensure safe and proper disposal of solid waste, through suitable technology 40. Unit will strictly comply with the directions of CPCB vide letter No B17011/7/UPCIIPWM(SUP)/2022 dated 01.02.2022 41. Unit will comply all the provisions of PWM Rules, 2016 and as amended from time to time 42. Unit will comply with all the directions, guidelines, order of Hon'ble NGT, Hon'ble Apex court, Hon'ble High Court, CAQM, CPCB/HSPCB as issued from time to time 43. Unit should comply directions of Haryana Govt., Urban Local Bodies Department , vide Haryana Govt. GAZ (EXTRA) Aug.20.2013(SRVN.29.1935 SAKA) dated 20/08/2013 and not use plastic carry bags in the premises or out side the premises by the unit. 44. Unit will comply with the E-Waste rules, guidelines of CPCB for e waste dismantling and other directions as issued from time to time and if found violating any of the provisions of E waste Rules, orders and directions as mentioned and any of the above said conditions, the CTO so granted will stand revoked apart from initiation of legal action against the unit. 45. Unit should strictly comply the MSW Rules 2016 and updated time to time 46. Unit shall strictly comply with the directions of CAQM w.r.t DG sets.49. Unit will submit the analysis report and compliance within 90 days from the grant of CTO.50. Unit will submit the compliance of CTO conditions within 90 days.



Regional Officer, Nuh
Haryana State Pollution Control Board.